

Wall Organizer

Featuring the
BERNINA 990



Supplies:

Canvas (sample is dark purple)

- (1) 20" x 40"
- (2) 9 1/2" x 40"

3mm thick Felt (sample is light blue)

- (2) 6" x 11"

Measure down 6" from one side and cut a diagonal line from the top corner to this mark (45 degree angle). Save this piece for another pocket. Repeat with other 6" x 11" piece, cutting the opposite direction, save the cut piece

- (1) 6" x 15"

Vinyl

- (2) 6" x 6" cut 2
- (1) 6" x 15"

Thread

Isacord 2900 and 3840

Optional Trim

Wide Rickrack

Tassle trim

Notions

OESD Perfect Pencil

OESD StabilStick (20" wide)

Step One: Hem the canvas and create rod pocket.

- For all 3 pieces of canvas:
 - Fold under each long edge 1/2" and press. Fold under 1/2" again and press. Hem in place.
 - Fold under each short edge 1/2" and press. Folder under again 1 1/2" and press. Hem in place, leaving a pocket to hold the dowel rod.

Step Two: Embroider the canvas.

- Mark vertical center of banner all the way down with the OESD Perfect Pencil.
- Select design O101 from Embroidery Designs>Inspirations>Organizer
- Hoop Stabil-Stick 20" x 24" in the Giant Hoop with paper side up. Score and remove paper.
- Place the larger canvas on the StabilStick so hem is aligned with top of hoop and vertical center is approximately in the center
- Scan the hoop and place the design using Pinpoint Placement so it is centered on the line and the top of the design is just below the hem of the rod pocket.



- Stitch the design using Isacord 3840.
- Repeat for the smaller canvas pieces, stitching design O103 and mirror-imaging the design on one so the designs face opposite each other. Stitch with Isacord 3840.




- Embroider Design O102 along the bottom center of the center panel, centering with the marked line and placed so the bottom of the design is approximately 1" from the stitched line of the bottom hem.




- Remove all marks with an iron before proceeding.

Step Three: Create the smaller designs.


- Select design O101 from Embroidery Designs>Inspirations>Organizer.
- Under the Edit Menu, Choose Ungroup from the Arrange Submenu




- Turn on Multi-Select




- Select all sections other than the motif in the upper right corner and use delete to remove.
- Tip: you can work in sections: select several pieces and then delete, then repeat until only the motif you want is left.




- Once you have only the portion you want left, Switch to “Select All” to select all the layers and then select group in the Arrange submenu



- Save the design as “Triangle Design”



- Start over with Design O101 and repeat the entire Step Three process, this time isolating the heart with flower shape. Save as “Pocket Heart”




Step Four: Embroider the felt.

- For each felt piece, hoop a piece of Stabil-Stick in the Oval hoop, then score and remove paper. Place the felt onto the Stabil-Stick
- Scan the hoop and use the scan to visually place your designs.
- Embroider your “Triangle Design” on each triangle so that the point of the design faces the 90 degree angle. Use Isacord 2900.
- Embroider your “Pocket Heart” on each slanted rectangle so it is centered in the bottom portion of the pocket. Use Isacord 2900

Step Five: Stitch the decorative stitches on the felt pockets.

- For decorative stitching, use Attach Sideways Motion Foot #40C.
 - Stitch a decorative stitch along the diagonal edges of the felt pockets.
 - Use stitch 458 on the rectangles and 722 along the triangles.



- Draw a vertical line along the center of the 6” x 15” piece of felt
 - Draw lines dividing each half in half and in half again, resulting in 7 lines creating eight equal rectangles.
- Stitch a quintuple straight stitch (713) on the first and third line
- Select Stitch 458 and increase stitch density to .3 mm
 - Stitch 458 on either side of the 1st, 3rd, 5th and 7th lines, with the straight edge nearest the marked line, aligning the edge of the foot with the line.
 - Select stitch #473
 - Enlarge using jumbo stitch to 200%
 - Increase the stitch density to .25 mm
 - Stitch down the exact center of the 2nd, 4th, and 6th lines.
- Attach Edgestitch Foot #10D. Stitch #713 along the top edge of the pocket, aligning the blade of the foot with the edge of the felt and moving the needle position to -5.



- Stitch pockets in place.
 - Stitch all pockets in place by stitching along the bottom and side edges using stitch #713 at position -5 from the outside edge of the pocket.
 - Stitch the divisions into the 6” x 15” felt pocket by stitching down the 2nd, 4th, 5th, 6th, and 7th lines.

Step Six: Add optional trims

- Add rickrack trim to bottom and side edges of vinyl pockets, centering the rickrack over the seams holding the pockets in place. Tack in place by stitching down the center of the rickrack with Stitch #1, backstitching at each end. You will be stitching directly over the stitch holding the pockets in place.
- Add a tassel trim to the bottom of each panel, stitching in place with Stitch #1.

