

SLEEP MASK



Note: The design may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating design in your software, always rescale or rotate design using the handles directly on-screen.

***Fabric Required**

12751-03 Sleeping Eyes Sleep Mask

Size Inches: Size mm: Stitch Count:
3.96 X 7.55 in. 100.58 X 191.77 mm 5,232 St.

	1. Placement Stitch.....	2550
	2. Tackdown.....	2550
	3. Eyes.....	2550
	4. Left Side Elastic Placement Stitch.....	2550
	5. Left Side Elastic Tackdown.....	2550
	6. Right Side Elastic Placement Stitch.....	2550
	7. Right Side Elastic Tackdown.....	2550
	8. Seam.....	2550



Stabilizers

- Lightweight fusible fleece, eg. OESD Fuse and Fleece
- Clear iron-on film, eg. OESD Fuse and Seal
- Fusible Woven

Fabrics/Textiles

- 2 pieces of fabric 6" x 10" (15.5 x 25.5 cm)

Notions & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Expert Point and Press Tool
- OESD Perfect Embroidery Press Cloth
- 17"* – ½" (42 cm* – 10 mm) wide elastic (for the mask strap)
- *Or measure from left temple around the back of the head to the right temple for a more accurate fit.
- BERNINA Jersey/Embroidery Needle 130/705 H SUK 80

INSTRUCTIONS



STEP 1

- Hoop one layer of Fuse and Fleece fusible (shiny) side up.



STEP 2

- Place one layer of Fusible Woven to the wrong side of both mask fabrics and fuse in place.



STEP 3

- Load selected design into the machine.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Placement Stitch.



INSTRUCTIONS



STEP 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the prepared fabric for the cover, right side up, completely covering the placement stitch.
- Tape in place to secure.



STEP 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Tackdown.



STEP 6

- Stitch Machine Step 3, Eyes.





INSTRUCTIONS



STEP 7

- Stitch Machine Step 4, Left Side Elastic Placement Stitch.
- Place one end of the elastic over the elastic placement stitch. The cut edge should extend ½" (10 mm) outside the mask tackdown stitch.
- Tape in place to secure.



STEP 8

- Return the hoop to the machine.
- Stitch Machine Step 5, Left Side Elastic Tackdown.



STEP 9

- Stitch Machine Step 6, Right Side Elastic Placement Stitch.
- Place the other end of the elastic over the elastic placement stitch. The cut edge should extend ½" (10 mm) outside the mask tackdown stitch.
- Tape in place to secure.
- Note: Be sure the elastic is not twisted.



STEP 10

- Stitch Machine Step 7, Right Side Elastic Tackdown.



INSTRUCTIONS




STEP 11

- Remove the hoop from the machine, but DO NOT remove the project from the hoop.
- Place the hoop on a flat surface.
- Tape the excess elastic to the center of the mask.



STEP 12

- Completely cover the placement stitch with the prepared fabric, right side down.
- Tape in place to secure.
- Return the hoop to the machine.
- Stitch Machine Step 8, Seam.



INSTRUCTIONS



STEP 14

- Remove the project from the hoop and trim approximately 1/4" (6.5 mm) from the outermost stitching line, clip around curves to facilitate turning.
- DO NOT cut off the "neck" opening at the top. Trim across the opening above the vertical lines of stitching.
- Clip each inner corner of the neck to, but not through, the corner stitch.



STEP 15

- Turn the mask right side out through the neck.
- Use the large end of the Expert Point and Press tool to push out the curves and edges.
- Press right side down on the Perfect Embroidery Press Cloth.
- Close the opening by hand stitching or with a small piece of OESD Fuse and Seal.
- Your project is complete. Enjoy!

